



SAFETY DATA SHEET

Section 1. Product and Company Identification

Manufacturer: Seacoat SCT, LLC
31902 Industrial park Dr
Pinehurst, Texas, USA. 77362
Tel: 832-237-4400
Fax: 832-237-4414

Material Name: SEA-SPEED V10 – CLR (PART B) Base resin
SDS NO. 042017ASSV10CLR-B
CAS No. N/A – Mixture

Section 2. Hazards Identification

Emergency overview

Form Liquid
Color slightly yellow
Odor N/A
Water solubility Insoluble

Symbol(s) **NONE Non-Hazardous**

Potential Health affects

Eye Contact: No Harmful effects have been reported

Skin Contact: No harmful effects have been reported

Inhalation: No Harmful effects have been reported

Ingestion: No Harmful effects have been reported

Immediate Concerns: No particular hazards known

Section 3. Composition information

OSHA HAZARDOUS ingredients

1- Butanol	CAS No.	71-36-3	> 0.0 < 0.015
Methanol	CAS No.	67-56-1	> 0.0 < 0.161

Section 4. First aid measures

Skin Contact: wash with soap and water for at least 10 minutes. Remove contaminated clothing and wash thoroughly before re-use.

Inhalation: Remove affected person out into fresh air.

Material Name: SEA-SPEED V10 – CLR (PART B) Base resin
 SDS NO. 042017ASSV10CLR-B
 CAS No. N/A

Eye Contact: Rinse eyes thoroughly with fresh water for ten minutes. Use eye rinse solution. If irritation persists seek medical attention.

Ingestion: Rinse mouth thoroughly with water. Do not induce Vomiting. Seek medical attention.

Notes to Physician:
 Treat symptomatically

Section 5. Fire fighting measures

Flash point > 118 ° C > 245 ° F (TCC)
 Auto ignition temperature Not determined
 Lower Explosive limit % Not determined
 Upper Explosive Limit % Not determined

Suitable extinguishing media Foam, CO2, dry powder. Do not use water spray.

Specific hazards during firefighting Carbon monoxide, Carbon dioxide, silicon dioxide from fire and fumes

Special protective equipment
 For fire fighters As in any fire, self contained positive pressure breathing apparatus, (MSHA,NIOSH) or approved equivalent and full protective gear.

Section 6. Accidental release measures

Personal: Ensure proper ventilation. Avoid contact with skin and eyes.

Environmental: Follow local, state, federal and or provincial laws and regulations. Do not contaminate groundwater, soil streams, ponds or lakes.

Methods for cleanup: Use absorbent materials such as universal binder, saw dust, sand or other appropriate material. Place in marked container and sealed container for disposal in accordance with existing regulations.

Section 7. Handling and storage Use in well ventilated areas. Avoid direct skin and eye contact. Avoid breathing fumes or mist. Wash hands with soap and water after handling.

Storage store between 40 – 120 F

Section 8. Exposure controls/ personal protection

OSHA hazardous components (Individually). (29 CFR 1910.1200)

Components	CAS	Base	Type	Value	Note
1-Butanol	71-36-3	US. ACGIH TLV	TWA	20 ppm	
Methanol	67-56-1	US. ACGIH TLV	Skin designation		Can be absorbed through skin.
Methanol	67-56-1	US. ACGIH TLV	STEL	250 ppm	
Methanol	67-56-1	US. ACGIH TLV	TWA	200 ppm	
1-Butanol	71-36-3	US. OSHA Table Z-1 limits for Air Contaminants (29 CFR 1910.1000)	Pel	100 ppm 300mg/m3	
Methanol	67-56-1	US. OSHA Table Z-1 limits for Air Contaminants (29 CFR 1910.1000)	Pel	200 ppm 260 mg/m3	

Material Name: SEA-SPEED V10 – CLR (PART B) Base resin
SDS NO. 042017ASSV10CLR-B
CAS No. N/A – Mixture

Engineering controls	Provide good ventilation in confined areas.
Eye & face protection	Wear safety glasses with side shields.
Hand protection	Butyl rubber. Wear protective gear as needed.
Respiratory protection	Wear a NIOSH/MSHA approved respirator during application whenever workplace conditions warrant respirator use.
Hygiene measures	Avoid contact with skin, eyes and or clothing. Do not inhale vapors or mist. Do not eat, drink or smoke while using this product. Remove contaminated clothing and thoroughly wash before re-use.

Section 9. Physical and chemical properties

Appearance	
Form	Liquid
Color	colorless to slightly yellow
Odor	Pungent
PH	7.4
Sp gr	1.072
Flash point	> 118° C >245° F
Melting point	Not determined
Boiling point	Not determined
Vapour pressure	Not measured
Flammability limits in air	Not determined
Auto ignition Temperature	Not determined
Vapor density	>1 Air =1
VOC	Percent water 0.001%

Section 10. Stability and reactivity

Conditions / materials to avoid:	Unknown
Hazardous decomposition products	None with proper storage & handling
Hazard reactions	No dangerous reactions known
Hazardous polymerization	No

Section 11. Toxicological Information

Sensitization	Possibility of skin sensitization may occur under prolonged exposure
Carcinogenicity	None
Gentoxicity	Not mutagenic
Toxicity to reproduction	No evidence of effects of reproductive/developmental toxicity.

Section 12. Ecological Information

Do not allow to enter soil, waste water / sewer or any waterways. An environmental hazard may be considered due to unprofessional handling and or disposal. US regulations require reporting spills of this material that could reach any surface waters

In case of spill notify SCS, LLC

Material Name: SEA-SPEED V10 – CLR (PART B) Base resin

SDS NO. 042017ASSV10CLR-B

CAS No. N/A – Mixture

Bioaccumulation Not bioaccumulative

Section 13. Waste disposal

Disposal method Do not allow this material into sewers and water supplies. Waste must be disposed of in accordance with Federal, state and local regulations.

Advice on disposal Mix all residual part A with Part B and allow it to cure fully in an open container. Cured product may be disposed of as a non hazardous solid waste.

Section 14. Transport information

DOT (Department of Transportation) CFR Road: Not regulated
CFR Rail Not regulated

SEA Transport (IMDG) Not Regulated

AIR Transport (ICAO/IATA) Not Regulated
Canada TDG Road Not regulated
TDG Rail Not regulated

Section 15. Regulatory Information

Cercla Reportable quantities CAS 71-36-3 500 Lb.

SARA TITLE III (311/312) CAS 67-56-1
Fire: No
Pressure: No
Reactivity: No
Acute: No
Chronic: No

SARA TITLE III (313) **Notification:** Yes
1- Butanol CAS No. 71-36-3
Methanol CAS No. 67-56-1

TSCA Yes, all intentional ingredients are listed in the TSCA Inventory or comply with TSCA Polymer exemption criteria per 40 CFR 723.

State Reg: MASS. RTK Notification: Yes
Rhode Island RTK Notification: Yes
New Jersey RTK Notification: Yes
Pennsylvania RTK Notification: Yes

California Proposition 65 Notification: This product does not contain any substance(s) which are defined by the state of California to cause Cancer, birth defects, or other reproductive effects.

Canada WHMIS Classification: Non WHMIS

This product contains Components that are listed on the WHMIS ingredient disclosure list.

1- Butanol CAS No. 71-36-3
Methanol CAS No. 67-56-1

Notification Status: Canadian Environmental Protection Act
DSL

Notification: Yes
Material Name: SEA-SPEED V10 – CLR (PART B) Base resin
SDS NO. 042017ASSV10CLR-B
CAS No. N/A - Mixture

International Chemical Inventory	USA (TSCA)	Y
	Canada (DSL)	Y
	Australia(AICS)	Y
	New Zealand (NZIoC)	Y
	Europe (EINECS)	Y
	Japan (MITI)	Y
	Korea (TCCL)	Y
China	Y	

Section 16. Other Information

Revision date: 12/19/19

HMIS Codes: Fire: 1
Health: 1
Physical Hazard: 0
Protection: X

Manufacturer disclaimer:

This information and any recommendations, technical or otherwise, are presented in good faith and believed to be correct as of the date prepared. Recipients of this information and recommendations must make their own determination as to its suitability for their purposes. In no event shall Seacoat Technology, LLC assume liability for damages or losses of any kind or nature that result from the use of or reliance upon this information and recommendations. SEACOAT SCT,LLC EXPRESSLY DISCLAIMS ANY REPRESENTATIONS AND WARRANTIES OF ANY KIND, WHETHER EXPRESS OR IMPLIED, AS TO THE ACCURACY, COMPLETENESS, NON-INFRINGEMENT, MERCHANTABILITY AND/OR FITNESS FOR A PARTICULAR PURPOSE (EVEN IF SEACOAT SCT,LLC IS AWARE OF SUCH PURPOSE) WITH RESPECT TO ANY INFORMATION AND RECOMMENDATIONS PROVIDED. Reference to any trade names used by other companies is neither a recommendation nor an endorsement of the corresponding product, and does not imply that similar products could not be used. Seacoat SCT, LLC reserves the right to make any changes to the information and/or recommendations at any time, without prior or subsequent notice.